INDEX TO VOLUME 2

AUTHOR INDEX

A

AASETH, J. Recent advance in the therapy of metal poisonings with chelating agents, 257
ABIKO, Y. *see* LALWANI, N.D., 27
ABOUD, O.I. *see* SULIMAN, S.M., 633
ADAMS, R. *see* CROME, P., 205
AGUILAR, M. *see* CEBRIÁN, M.E., 121
AHLMÉN, J. *see* HEATH, A., 408
ALBORES, A. *see* CEBRIÁN, M.E., 121
ALFANI, F. *see* MALIZIA, E., 315
—— *see* MALIZIA, E., 416
ALI, C. *see* CROME, P., 205
—— *see* HENRY, J.A., 353
AMERIGO, J. *see* BERRY, C.L., 49
ANDREUCCI, G. *see* MALIZIA, E., 315
—— *see* MALIZIA, E., 416
ASKENASI, R. *see* LIGNIAN, H., 221
AUCAMP, A.K. *see* HUNDT, H.K.L., 607

B

BACH, P.H. *see* POWELL, C.J., 565
BACH, P.H., SCHOLEY, D.J., GRASSO, P., MOLLAND, E.A. & BRIDGES, J.W. Fatty degenerative changes in the renal medulla during the development of acutely induced renal papillary necrosis (RPN), 556
BAGULEY, E., ILES, P.B. & WRIGHT, N. Serial lung function tests in paraquat poisoning, 418
BALALI-MOOD, M. *see* CRITCHLEY, J.A.J.H., 407
the late BALDWIN, J.A. *see* GOLDING, J., 63
BEAMAND, J.A. *see* GRAY, T.J.B., 559
BELL, D. & MACLEOD, A.F. Dieldrin pollution of a human food chain, 75
BENFORD, D.J. *see* JENNER, J., 563
BENFORD, D.J. & BRIDGES, J.W. The cytotoxicity of benzodioxoles and related compounds to isolated rat hepatocytes, 566
BERRY, C.L., AMERIGO, J., NICKOLS, C. & SWETTENHAM, K.V. Transplacental carcinogenesis with radioactive phosphorus, 49
BERRY, D.J., *see* STEAD, A.H., 135
BERRY, D.J., WISEMAN, H.M. & VOLANS, G.N. A survey of non-barbiturate anticonvulsant drug overdose reported to the poisons information service (UK), 357
BESWICK, F.W. Chemical agents used in riot control and warfare, 247
BETTA, A., DE SANTA, A., SAVONITTO, C. & D'ANDREA, F. Flicker fusion test and occupational toxicology: performance evaluation in workers exposed to lead and solvents, 83
BETTS, A.M. *see* TAYLOR, C.J., 317
BLAIR, I.A. *see* HUGGETT, A., 399
BLAKELY, E. *see* CEBRIÁN, M., 121
BONNER, F.W. *see* DOBROTA, M., 567
BONSALL, J.L. & TURNBULL, G.J. Extrapolation from safety data to management of poisoning with reference to amitraz (a formamidine pesticide) and xylene, 416, 587
BOTHAM, P.A. Langerhans cells: enrichment from rat epidermis and *in vitro* immunological properties, 564
BOZZA-MARRUBINI, M. *see* CERCHIARI, E., 411
BOZZA-MARRUBINI, M., GHEZZI, R., MORONI, C. & SELENATI, A. The cerebral function monitor (CFM) in toxic coma, 412
BOZZA-MARRUBINI, M., GHEZZI, R., RUGGERONI, M. & SCAIOLA, A. Classification and monitoring of toxic coma, 410
BRAITHWAITE, R.A. *see* DAWLINGS, S., 211
BRAMLEY, A. & HART, T.B. Paraquat poisoning in the United Kingdom, 417
BREDESEN, J.E. *see* JACOBSEN, D., 408
BRESSA, G. *see* GIUNTA, F., 243

BRESSA, G., CIMA, L., GIUNTA, F. & MACCA, C. Adsorbtion at varied pH of cadmium, copper lead and zinc by different activated charcoals, 410
—— Isotherms of cadmium, copper, lead and zinc adsorption by various activated charcoals at pH 4.5, 410
BRIDGES, J.W. *see* BACH, P.H., 556
—— *see* BENFORD, D.J., 566
—— *see* JENNER, J., 563
—— *see* POWELL, C.J., 565
BROCK, J.A. *see* OLIVER, G.J.A., 554
BURGESS, K.R. *see* MARLIN, G.E., 593

C

CALDWELL, R. *see* FLANAGAN, R.J., 371
CAMPARA, P. *see* ZIMMERMANN-TANSELLA, C., 615
CARLIER, P., EFTHYMIOU, M.-L., GARNIER, R., HOFFELT, J. & FOURNIER, E. Poisoning with Veratrum-containing sneezing powders, 321
CARRINGTON DA COSTA, R.B., PIMENTEL, J., SOUTO GONCALVES, J., REBELO, A. & DIAS, A. Advances in intensive care and poison control centres, 411
CARTER, B.A. *see* DOBROTA, M., 567
CARUGO, D. *see* CERCHIARI, E., 411
CEBRIÁN, M.E., ALBORES, A., AGUILAR, M. & BLAKELY, E. Chronic arsenic poisoning in the north of Mexico, 121
CERCHIARI, E., CARUGO, D., RAVIZZA, A. & BOZZA-MARRUBINI, M. Pupillary and ocular reflexes in toxic coma, 411
CHAND, S. *see* DAWLING, S., 211
CHARLTON, B. *see* WOODHOUSE, K.W., 507
CHESTER, G. & WARD, R.J. An accurate method for measuring potential dermal exposure to pesticides, 555
CHIANG, B.N. *see* HONG, C.Y., 511
CHIARANDA, M. *see* GIUNTA, F., 243
CHOLEWA, L., PACH, J. & MACHETA, A. Effects of naloxone on ethanol-induced coma, 217
CHRISTEN, H.-J., ZINK, C., ZINK, A. & KORPORAL, J. Childhood poisoning in a paediatric hospital: the Luebeck experience, 295
CIMA, L. *see* BRESSA, G., 410
—— *see* GIUNTA, F., 243
CLARMANN, V. *see* ZILKER, T., 417
COHEN, S.L. *see* TOMLINSON, B., 539
COLGRAVE, H.F. *see* MARRS, T.C., 415
CORLESS, D. *see* FLANAGAN, R.J., 371
COURT, H., STREETE, P. & VOLANS, G.N. Acute poisoning with ibuprofen, 381
CRIDLAND, J.S., ROTTANBURG, D. & ROBINS, A.H. Apparent half-life of excretion of cannabinoids in man, 641
CRITCHLEY, J.A.J.H. *see* DYSON, E.H., 412
CRITCHLEY, J.A.J.H., BALALI-MOOD, M., PROUDFOOT, A.T. & PRESCOTT, L.F. Is sodium bicarbonate alone better treatment for salycilate intoxication than forced alkaline diuresis?, 407
CRITCHLEY, J.A.J.H., DYSON, E.H. & PROUDFOOT, A.T. Quinine ocular toxicity – the questionable value of stellate ganglion block, 412
CROME, P. *see* DAWLING, S., 211
CROME, P., ADAMS, R., ALI, C., DALLOS, V. & DAWLING, S. Activated charcoal in tricyclic antidepressant poisoning: pilot controlled clinical trial, 205
CSOMOS, G. *see* HRUBY, K., 183

D

D'ANDREA, F. *see* BETTA, A., 83
—— *see* ZIMMERMANN-TANSELLA, C., 615
DAL PALÙ, A. *see* GIUNTA, F., 243
DALLOS., V. *see* CROME, P., 205
DAWLING, S. *see* CROME, P., 205
DAWLING, S., CHAND, S., BRAITHWAITE, R.A. & CROME, P. *In vitro* and *in vivo* evaluation of two preparations of activated charcoal as adsorbants of aspirin, 211
DE HAAS, E.J.M. *see* DE WOLFF, F.A., 385
DE SANTA, A. *see* BETTA, A., 83
DE WOLFF, F.A., EDELBROEK, P.M., DE HAAS, E.J.M. & VERMEIJ, P. Experience with a screening method for laxative abuse, 385
DI LANDRO, D. *see* GIUNTA, F., 243
DIAS, A. *see* CARRINGTON DA COSTA, R.B., 411
DOBROTA, M., BONNER, F.W. & CARTER, B.A. Intracellular redistribution of

Cd109 following the uptake of Cd109 thionein into the renal cortex, 567
DOE, J.E. & MILBURN, G.M. The relationship between exposure concentrations, duration of exposure and inhalation LC50 values, 564
DUGARD, P.H. Penetration of chemicals through skin, 548
—— *see* SCOTT, R.C., 554
DUGARD, P.H., SCOTT, R.C., RAMSEY, J.D., MAWDSLEY, S.J. & RHODES, C. Percutaneous absorption of phthalate esters: *in vitro* experiments on human and rat epidermal membranes, 561
DYSON, E.H. *see* CRITCHLEY, J.A.J.H., 412
DYSON, E.H., CRITCHLEY, J.A.J.H. & PROUDFOOT, A.T. Acute quinine intoxication, 412
DYSON, E.H. & PROUDFOOT, A.T. Lithium intoxication, 412

E

EARL, L.K. *see* SHAW, I.C., 557
EDELBROEK, P.M. *see* DE WOLFF, F.A., 385
EFTHYMIOU, M.-L. *see* CARLIER, P., 321
EL-SEMARY, L.M. *see* FAHIM, B.A., 327
ELEBORG, L. *see* KULLING, P., 175
ELWOOD, P.C., PHILLIPS, K., LOWE, N., PHILLIPS, J.K. & TOOTHILL, C. Hardness of domestic water and blood lead ievels, 645
ESKOLA, J. & POIKOLAINEN, K. The frequency of children's poisonings in different social groups, 305
ESSEX, E.G. *see* HOUSTON, A., 361
EVANS, A.E.J. Skin problems in the workplace – their treatment and prevention, 550

F

FAHIM, B.A. & EL-SEMARY, L.M. Short-term experience of the newly established Poison Control Centre of Cairo, 327
FEELY, J., McLAREN, S., SHEPHERD, A.M.M., MACLEAN, D., STEVENSON, I.H., SWIFT, C.G. & ISLES, T.E. Antithyroid effect of chlorpropamide?, 149
FISHER, C. *see* TOMLINSON, B., 539
FLANAGAN, R.J. *see* HOUSTON, A., 361
FLANAGAN, R.J., CALDWELL, R., LEWIS, R.R. & CORLESS, D. Toxicological investigations in the detection of the drug-induced disease in elderly patients, 371
FLESCH, F. *see* KOPFERSCHMITT, J., 239
FOGH, A., GYNTELBERG, F., KLIXBÜLL, U. & NIELSEN, G.D. Enquiries to the Danish Poison Information Centre 1970–1980. Results of a pilot project with standardisation of data, 281
FONTAINE, J. *see* LIGNIAN, H., 221
FOSTER, J.R., *see* GRAY, T.J.B., 559
FOURNIER, E. *see* CARLIER, P., 321
FRANCIS, J. & MURRAY, V.S.G. Review of enquiries made to the NPIS concerning Psilocybe mushroom ingestion, 349
FRATI, M.E., MARRUECOS, L., PORTA, M., MARTIN, M.L. & LAPORTE, J.-R. Acute severe poisoning in Spain: clinical outcome related to the implicated drugs, 625
FUHRMANN, M. *see* HRUBY, K., 183
FÜRSTENBERGER, G. *see* MARKS, F., 551

G

GABRIELSSON, M. *see* HEATH, A., 409
GANGOLLI, S.D. *see* GRAY, T.J.B., 559
GARNIER, R. *see* CARLIER, P., 321
GEORGE, S.L., WHITTON, A. & PLOWMAN, P.N. Hair regrowth after cancer therapy, 465
GERBER, G. *see* ZILKER, T., 417
GERLACH, U. *see* LOHMANN, J., 409
—— *see* LOHMANN, J., 418
GHEZZI, R. *see* BOZZA-MARRUBINI, M., 410
—— *see* BOZZA-MARRUBINI, M., 412
GHOSE, K. & TAYLOR, A. Hypercupraemia induced by antiepileptic drugs, 519
GILAD, A. & SILANO, V. Contingency planning for accidents and emergencies involving the release of potentially toxic chemicals, 413
GIMENEZ, M.P. *see* MARTINEZ, D., 391
GIRON, G.P. *see* GIUNTA, F., 243
GIUNTA, F. *see* BRESSA, G., 410
GIUNTA, F., DI LANDRO, D., CHIARANDA, M., ZANARDI, L., DAL PALÙ, A., GIRON, G.P., BRESSA, G. &

CIMA, L. Severe acute poisoning from the ingestion of a permanent wave solution of mercuric chloride, 243
GOLDING, J., VIVIAN, S. & BALDWIN, J.A. Maternal anti-nauseants and clefts of lip and palate, 63
GOMM, P.J. A toxicology databank–the registry of human toxicology, 497
GOODWIN, F.J. *see* NEWTON, J.A., 535
GRAHAM, M.I., SHAW, I.C. & McLEAN, A.E.M. Chloroacetaldehyde – a potentially toxic metabolite of cyclophosphamide, 565
GRASSO, P. *see* BACH, P.H., 556
—— *see* INGRAM, A.J., 560
GRAY, T.J.B., LAKE, B.G., BEAMAND, J.A., FOSTER, J.R., PURCHASE, R. & GANGOLLI, S.D. Peroxisomal effects of some straight and branched chain phthalate esters in rat hepatocyte cultures, 559
GREAVES, M.W. Pharmacological responses of the skin to injury, 549
GREEN, D. *see* PRIEST, N.D., 101
—— *see* PRIEST, N.D., 479
GYNTELBERG, F. *see* FOGH, A., 281

H

HAINES, J.W. *see* PRIEST, N.D., 101
—— *see* PRIEST, N.D., 479
HALVORSEN, S. *see* JACOBSEN, D., 408
HAMMOND, T.G. & MOBBS, M. Lung oedema – microscopic detection, 553
HAMPEL, G., HORSTKOTTE, H. & RUMPF, K.W. Myoglobinuric renal failure due to drug-induced rhabdomyolysis, 197
HART, T.B. *see* BRAMLEY, A., 417
HASMALL, R.L. *see* PRATT, I.S., 558
HEATH, A., AHLMÉN, J., MELLSTRAND, T. & WICKSTRÖM, I. Haemoperfusion in chloroquine poisoning, 408
HEATH, A., GABRIELSSON, M. & REDGÅRDH, C.G. Adsorbtion of β-receptor blockers to amberlite resin, 409
HENDERSON, D.B. *see* WOODHOUSE, K.W., 507
HENRY, J.A. *see* THOMPSON, N., 335
HENRY, J.A. & ALI, C.J. Trazodone overdosage: experience from a Poisons Information Service, 353
HENRY, J.A., POOLE, C.J.M. & PRICE, J. Pancuronium bromide in the management of tranylcypromine overdose, 413
HOFFELT, J. *see* CARLIER, P., 321
HOMEIDA, M. *see* SULIMAN, S.M., 633
HONG, C.Y., YANG, W.C. & CHIANG, B.N. Importance of membrane stabilizing effect in massive overdose of propranolol: plasma level study in a fatal case, 511
HOOK, W. *see* STEAD, A.H., 135
HOUSE, I.M. *see* NEWTON, J.A., 535
HOWELLS, G. *see* PRIEST, N.D., 101
—— *see* PRIEST, N.D., 479
HOWES, D. Factors affecting skin absorption in the rat of hair dye 2-nitro-*p*-phenylenediamine (2-NPPD), 552
HORSTKOTTE, H. *see* HAMPEL, G., 197
HOUSTON, A., ESSEX, E.G., WISEMAN, H.M. & FLANAGAN, R.J. Acute chlormethiazole poisoning in patients notified to the Poisons Unit, Guy's Hospital, 1978–81, 361
HRUBY, K., CSOMOS, G., FUHRMANN, M. & THALER, H. Chemotherapy of *Amanita phalloides* poisoning with intravenous silibinin, 183
HUGGETT, A. & BLAIR, I.A. The mechanism of paracetamol-induced hepatotoxicity: implications for therapy, 399
HUNDT, H.K.L. *see* VAN DER MEER, M.J., 637
HUNDT, H.K.L., AUCAMP, A.K. & MÜLLER, F.O. Pharmacokinetic aspects of carbamazepine and its two major metabolites in plasma during overdosage, 607

I

ILES, P.B. *see* BAGULEY, E., 418
INGRAM, A.J. & GRASSO, P. Nuclear enlargement in mouse skin as possible indicator of skin carcinogenicity, 560
ISLES, T.E. *see* FEELY, J., 149

J

JACKSON, R.H. Childhood poisoning: perspectives and problems, 285
JACOBSEN, D., JANSEN, H., WIIK-LARSEN, E., BREDESEN, J.E. & HALVORSEN, S. Toxicokinetic studies during haemodialysis for methanol poisoning, 408

JACOBSEN, D., SEJERSTED, O.M., ØVREBØ, S. & JANSEN, H. Formate accumulation in humans poisoned with methanol, 408
JAEGER, A. *see* KOPFERSCHMITT, J., 239
—— *see* SAUDER, Ph., 169
JAGO, M.V. *see* RAO, M.S., 15
JANSEN, H. *see* JACOBSEN, D., 408
JEFFERYS, D.B. & VOLANS, G.N. An investigation of the role of the specific opioid antagonist naloxone in clinical toxicology, 227
—— Self poisoning in diabetic patients, 345
JENKINS, C.R. *see* MARLIN, G.E., 593
JENNER, J., UPSHALL, D.G., BENFORD, D.J. & BRIDGES, J.W. Rat skin esterases, 563

K

KING, L.A. Effect of ethanol in fatal carbon monoxide poisonings, 155
KLIXBÜLL, U. *see* FOGH, A., 281
KOPFERSCHMITT, J. *see* SAUDER, Ph., 169
KOPFERSCHMITT, J., FLESCH, F., LUGNIER, A., SAUDER, Ph., JAEGER, A. & MANTZ, J.M. Acute voluntary intoxication by ricin, 239
KORPORAL, J. *see* CHRISTEN, H.-J., 295
KRUMMENERL, T. *see* LOHMANN, J., 418
KULLING, P., ELEBORG, L. & PERSSON, H. β-adrenoceptor blocker intoxication: epidemiological data. Prenalterol as an alternative in the treatment of cardiac dysfunction, 175
KULLING, P., PERSSON, H. & WALLENSTRÖM, M. Chemical hazards – emergency plan, 413
KVISTAD, P.H., BOLLE, R. & WICKSTRØM, E. Acute poisoning by ethylene chlorohydrin. Intoxication by ingestion of film cement in two children, 311

L

LAFRANIER, D.A.J. *see* MARLIN, G.E., 593
LAKE, B.G. *see* GRAY, T.J.B., 559
LALWANI, N.D., REDDY, M.K., QURESHI, S.A., SIRTORI, C.R., ABIKO, Y. & REDDY, J.K. Evaluation of selected hypolipidemic agents for the induction of peroxisomal enzymes and peroxisome proliferation in rat liver, 27
LAMER, A. *see* OKONEK, S., 418
LAPORTE, J.-R. *see* FRATI, M.E., 625
LAWRENCE, N.J. & PARKINSON, E.K. Benzoyl peroxide interferes with metabolic co-operation between cultured human epidermal keratinocytes, 559
LEOPOLD, J.D. *see* WEBB, D.B., 531
LEWIS, R.R. *see* FLANAGAN, R.J., 371
LIGNIAN, H., FONTAINE, J. & ASKENASI, R. Naloxone and alcohol intoxication in the dog, 221
LOHMANN, J., KRUMMENERL, T., MEISTER, R., POTT, G. & GERLACH, U. Significance of repeated lung volume determinations during the treatment of paraquat intoxication, 418
LOHMANN, J., POTT, G. & GERLACH, U. Influence of haemoperfusion on the concentration of human plasma fibronectin after severe drug intoxication, 409
LOWE, N. *see* ELWOOD, P.C., 645
LUGNIER, A. *see* KOPFERSCHMITT, J., 239

M

MACCA, C. *see* BRESSA, G., 410
MACHETA, A. *see* CHOLEWA, L., 217
McLAREN, S. *see* FEELY, J., 149
McLEAN, A.E.M. *see* GRAHAM, M.I., 565
—— *see* SHAW, I.C., 557
MACLEAN, D. *see* FEELY, J., 149
MACLEOD, A.F. *see* BELL, D., 75
MAGALINI, S.I. & PALA, F. Application of I.R. spectrophotometry in emergency analyses, 395
MALIZIA, E., ANDREUCCI, G., ALFANI, F., SMERIGLIO, M. & NICHOLAI, P. Acute intoxication with nicotine alkaloids and cannabinoids in children from ingestion of cigarettes, 315
MALIZIA, E., ANDREUCCI, G., ALFANI, F., SMERIGLIO, M. & TIBERTI, S. Thallium poisoning, 416
MALLYON, B.A. & TURNBULL, G.J. Skin penetration and toxic threshold in animals and people exposed to bendiocarb (a carbamate insecticide), 552
MANTZ, J.M. *see* KOPFERSCHMITT, J., 239
—— *see* SAUDER, Ph., 169
MARKS, F. & FÜRSTENBERGER, G. Cellular biochemical mechanisms of skin carcinogenesis, 551

MARLIN, G.E., THOMPSON, P.J., JENKINS, C.R., BURGESS, K.R. & LAFRANIER, D.A.J. Study of serum levels, venous irritation and gastrointestinal side-effects with intravenous erythromycin lactobionate in patients with bronchopulmonary infection, 593
MARRS, T.C. & COLGRAVE, H.F. Toxicity of repeated skin application of CR (Dibenzoxazepine), 415
MARRUECOS, L. *see* FRATI, M.E., 625
MARTIN, M.L. *see* FRATI, M.E., 625
MARTINEZ, D. & GIMENEZ, M.P. Determination of amphetamine and methylamphetamine by gas-liquid chromatography (head space) 391
MATHES, G. *see* ZILKER, T., 417
MAWDSLEY, S.J. *see* DUGARD, P.H., 561
MEISTER, R. *see* LOHMANN, J., 418
MELLSTRAND, T. *see* HEATH, A., 408
MIDDLETON, M.C. *see* PRATT, I.S., 558
MILBURN, G.M. *see* DOE, J.E., 564
MOBBS, M. *see* HAMMOND, T.G., 553
MOFFAT, A.C. *see* STEAD, A.H., 5
—— *see* STEAD, A.H., 135
—— *see* STEAD, A.H., 437
MOLLAND, E.A. *see* BACH, P.H., 556
MORONI, C. *see* BOZZA-MARRUBINI, M., 412
MRUZEK, M.N. *see* SHAW, I.C., 557
MÜLLER, F.O. *see* HUNDT, H.K.L., 607
—— *see* VAN DER MEER, M.J., 637

N

NEWTON, J.A., HOUSE, I.M., VOLANS, G.N. & GOODWIN, F.J. Plasma mercury during prolonged acute renal failure after mercuric chloride ingestion, 535
NICHOLAI, P. *see* MALIZIA, E., 315
NICKOLS, C. *see* BERRY, C.L., 49
NIEDERMAYER, W. *see* OKONEK, S., 418
NIELSEN, G.D. *see* FOGH, A., 281

O

OKONEK, M. *see* OKONEK, S., 418
OKONEK, S., WRONSKI, R., NIEDERMAYER, W., OKONEK, M. & LAMER, A. Potentially fatal paraquat intoxication due to percutaneous absorption, 418
OLIVER, G.J.A. & BROCK, J.A. Determination of photoallergenic potential in the guinea pig, 554
OLIVER, G.J.A. & PEMBERTON, M.A. An *in vitro* model for assessing the corrosive potential of chemicals to the skin, 562
ØVREBØ, S. *see* JACOBSEN, D., 408
OWEN, P.E. Vinyl acetate – three month inhalation toxicity study in rat and mouse, 416

P

PACH, J. *see* CHOLEWA, L., 217
PALA, F. *see* MAGALINI, S.I., 395
PARKER, D. *see* TURK, J.L., 550
PARKINSON, E.K. *see* LAWRENCE, N.J., 559
PEASTON, R.T. *see* WOODHOUSE, K.W., 507
PEMBERTON, M.A. *see* OLIVER, G.J.A., 562
PERSSON, H. *see* KULLING, P., 175
—— *see* KULLING, P., 413
PHILLIPS, K. *see* ELWOOD, P.C., 645
PIMENTEL, J. *see* CARRINGTON DA COSTA, R.B., 411
PLOWMAN, P.N. *see* GEORGE, S.L., 465
POIKOLAINEN, K. *see* ESKOLA, J., 305
POOLE, C.J.M. *see* HENRY, J.A., 413
PORTA, M. *see* FRATI, M.E., 625
POTT, G. *see* LOHMANN, J., 409
—— *see* LOHMANN, J., 418
POWELL, C.J., BACH, P.H. & BRIDGES, J.W. Subacute toxicity of diphenylamine and *N*-phenylanthranilic acid, 565
PRATT, I.S., HASMALL, R.L., SOAMES, A.R. & MIDDLETON, M.C. Diurnal variation in the response of rat skin to tri-*n*-butyltin and 1-chloro-2,3-dinitrobenzene, 558
PRESCOTT, L.F. *see* CRITCHLEY, J.A.J.H., 407
PRICE, J. *see* HENRY, J.A., 413
PRIEST, N.D., HOWELLS, G., GREEN, D. & HAINES, J.W. Pattern of uptake of americium-241 by the rat skeleton and its subsequent redistribution and retention: implications for human dosimetry and toxicology, 101
—— Autoradiographic studies of the distribution of radium-226 in rat bone: their implications for human radiation dosimetry and toxicity, 479
PROUDFOOT, A.T. *see* CRITCHLEY, J.A.J.H., 407
—— *see* CRITCHLEY, J.A.J.H., 412

—— *see* DYSON, E.H., 412
PURCHASE, R. *see* GRAY, T.J.B., 559

Q

QURESHI, S.A. *see* LALWANI, N.D., 27

R

RAMSEY, J.D. *see* DUGARD, P.H., 561
RAO, M.S., JAGO, M.V. & REDDY, J.K. Effect of calorie restriction on the fate of hyperplastic liver nodules induced by concurrent administration of lasiocarpine and thioacetamide, 15
RAVIZZA, A. *see* CERCHIARI, E., 411
RAWLINS, M.D. *see* WOODHOUSE, K.W., 507
REBELO, A. *see* CARRINGTON DA COSTA, R.B., 411
REDDY, J.K. *see* LALWANI, N.D., 27
—— *see* RAO, M.S., 15
REDDY, M.K. *see* LALWANI, N.D., 27
REDGÅRDH, C.G. *see* HEATH, A., 409
RHODES, C. *see* DUGARD, P.H., 561
REPETTO, M. *see* SANZ, P., 414
—— *see* SANZ, P., 415
ROBINS, A.H. *see* CRIDLAND, J.S., 641
RODRIGUEZ, M.C. *see* SANZ, P., 415
ROTTANBURG, D. *see* CRIDLAND, J.S., 641
RUGGERONI, M. *see* BOZZA-MARRUBINI, M., 410
RUMPF, K.W. *see* HAMPEL, G., 197

S

SANZ, P., RODRIGUEZ, M.C. & REPETTO, M. Serum analytical profile of rats treated with toxic rape seed oil anilides, 415
SANZ, P., VILLAR, P. & REPETTO, M. Determination of NADPH-diaphorase to estimate the enzymatic alteration in the toxic rape seed oil syndrome, 414
SAUDER, Ph. *see* KOPFERSCHMITT, J., 239
SAUDER, Ph., KOPFERSCHMITT, J., JAEGER, A. & MANTZ, J.M. Haemodynamic studies in eight cases of acute colchicine poisoning, 169
SAVONITTO, C. *see* BETTA, A., 83
—— *see* ZIMMERMANN-TANSELLA, C., 615
SCAIOLA, A. *see* BOZZA-MARRUBINI, M., 410
SCHOLEY, D.J. *see* BACH, P.H., 556
SCOTT, R.C. *see* DUGARD, P.H., 561
SCOTT, R.C. & DUGARD, P.H. A model for studying absorption through abnormal stratum corneum, 554
SEJERSTED, O.M. *see* JACOBSEN, D., 408
SELENATI, A. *see* BOZZA-MARRUBINI, M., 412
SERRANO RIOS, D.M. Toxic rape seed oil syndrome, 414
SHAW, I.C. *see* GRAHAM, M.I., 565
SHAW, I.C., EARL, L.K., McLEAN, A.E.M., MRUZEK, M.N. & SOUHAMI, R.L. Differences in the activity of two commercially available preparations of cyclophosphamide, 557
SHEPHERD, A.M.M. *see* FEELY, J., 149
SILANO, V. *see* GILAD, A., 413
SIRTORI, C.R. *see* LALWANI, N.D., 27
SMERIGLIO, M. *see* MALIZIA, E., 315
—— *see* MALIZIA, E., 416
SMITH, M.R. *see* TOMLINSON, B., 539
SOAMES, A.R. *see* PRATT, I.S., 558
SONTAG, W. The early distribution of ^{239}Pu, ^{241}Am and ^{233}U in the soft tissues and skeleton of old rats. A comparative study, 91
SOUHAMI, R.L. *see* SHAW, I.C., 557
SOUTO GONCALVES, J. *see* CARRINGTON DA COSTA, R.B., 411
STEAD, A.H., HOOK, W., MOFFAT, A.C. & BERRY, D.J. Therapeutic, toxic and fatal blood concentration ranges of antiepileptic drugs as an aid to the interpretation of analytical data, 135
STEAD, A.H. & MOFFAT, A.C. A collection of therapeutic, toxic and fatal blood drug concentrations in man, 437
—— Quantification of the interaction between barbiturates and alcohol and interpretation of fatal blood concentrations, 5
STEPHENS, M. Deliberate drug rechallenge, 573
STREETE, P. *see* COURT, H., 381
STEVENSON, I.H. *see* FEELY, J., 149
SULIMAN, S.M., HOMEIDA, M. & ABOUD, O.I. Paraphenylenediamine induced acute tubular necrosis following hair dye ingestion, 633
SWETTENHAM, K.V. *see* BERRY, C.L., 49
SWIFT, C.G. *see* FEELY, J., 149

T

TANSELLA, M. *see* ZIMMERMANN-TANSELLA, C., 615
TAYLOR, A. *see* GHOSE, K. 519
TAYLOR, C.J. & BETTS, A.M. Non-accidental paracetamol poisoning in an eleven month-old child, 317
THALER, H. *see* HRUBY, K., 183
THOMPSON, N. & HENRY, J.A. Carbon monoxide poisoning: Poisons Unit experience over five years, 335
THOMPSON, P.J. *see* MARLIN, G.E., 593
TIBERTI, S. *see* MALIZIA, E., 416
TINKER, J. Advances in the assessment and treatment of shock, 407
TOMLINSON, B., COHEN, S.L., SMITH, M.R. & FISHER, C. Nephrotoxicity of phenazopyridine, 539
TURK, J.L. & PARKER, D. Immunological reactions of the skin to chemicals, 550
TURNBULL, G.J. Animal studies on the treatment of poisoning by amitraz (a formamidine pesticide) and xylene, 415, 579
—— *see* BONSALL, J.L., 416, 587
—— *see* MALLYON, B.A., 552

U

UPSHALL, D.G. *see* JENNER, J. 563

V

VAN DER MEER, M.J., HUNDT, H.K.L. & MÜLLER, F.O. Inhibition of atropine metabolism by organophosphate pesticides, 637
VAN HEIJST, A.N.P. The problem of the corrosiveness of products – a pilot study with a denture cleaner, 339
VELVART, J. Arterial perfusion for hydrofluoric acid burns, 233
VERMEIJ, P. *see* DE WOLFF, F.A., 385
VILLAR, P. *see* SANZ, P., 414
VINCENT, V. Computers in poisons information, 273
VIVIAN, S. *see* GOLDING, J., 63
VOLANS, G.N. *see* BERRY, D.J., 357
—— *see* COURT, H., 381
—— *see* JEFFERYS, D.B., 227
—— *see* JEFFERYS, D.B., 345
—— *see* NEWTON, J.A., 535

W

WALKER, M., DUGARD, P.H. & SCOTT, R.C. *In vitro* percutaneous absorption studies: a comparison of human and laboratory species, 561
WALLENSTRÖM, M. *see* KULLING, P., 413
WARD, R.J. *see* CHESTER, G., 555
WEBB, D.B. & LEOPOLD, J.D. Vasodilation and rehydration in paraquat poisoning, 531
WHITTON, A. *see* GEORGE, S.L., 465
WICKSTRÖM, I. *see* HEATH, A., 408
WIIK-LARSEN, E. *see* JACOBSEN, D., 408
WILSON, T.S. The Glasgow Duplicate Diet Study, 545
WISEMAN, H.M. *see* BERRY, D.J., 357
—— *see* HOUSTON, A., 361
WOLTERS, E.Ch. 'Heroin' leucoencephalopathy in The Netherlands, 414
WOODHOUSE, K.W., HENDERSON, D.B., CHARLTON, B., PEASTON, R.T. & RAWLINS, M.D. Acute dapsone poisoning: clinical features and pharmacokinetic studies, 507
WRIGHT, N. *see* BAGULEY, E., 418
WRONSKI, R. *see* OKONEK, S., 418

Y

YANG, W.C. *see* HONG, C.Y., 511

Z

ZANARDI, L. *see* GIUNTA, F., 243
ZILKER, T., GERBER, G., MATHES, G. & CLARMANN, V. Mortality rate, course and therapy of paraquat intoxication, 417
ZIMMERMANN-TANSELLA, C., CAMPARA, P., D'ANDREA, F., SAVONITTO, C. & TANSELLA, M. Psychological and physical complaints of subjects with low exposure to lead, 615
ZINK, A. *see* CHRISTEN, H.-J., 295
ZINK, C. *see* CHRISTEN, H.-J., 295

SUBJECT INDEX

A

N-acetyl-p-benzoquinoneimine, therapy for paracetamol-induced hepatotoxicity, 399
N-acetyl cysteine, therapy for paracetamol-induced hepatotoxicity, 399
—, therapy for serious paracetamol overdose in children or infants, 317
Activated charcoal, adsorption of lead, cadmium, copper, and zinc, 410
α-Adrenergic agonist activity, amitraz-induced, 587
β-Adrenoceptor blocking drugs, adsorption to amberlite resin, 409
—, induction of cardiac dysfunction by overdoses, treatment by prenalterol, 175
Aerosol, effectiveness for delivery of chemical agents for use in war or riot control, 247
Age, distribution of patients reported to Cairo Poison Control Centre, 327
Agricultural workers, measurement of potential dermal exposure to pesticides, 555
Alcohol, clinical outcome in cases of acute severe poisoning in Spain, 625
—, interaction with barbiturates in cases of accidental or intentional self-poisoning, 5
Aloe-emodin, screening method for cases of laxative abuse, 385
Amanita phalloides, evaluation of treatment for poisoning with silibinin, 183
Amberlite resin, adsorption of β-receptor blockers, 409
Americium-241, distribution in soft tissues and skeleton of old rats after intravenous administration, 91
—, redistribution and retention by rat skeleton, implications for human dosimetry and toxicology, 101
Amitraz, animal studies on treatment for poisoning, 415, 579
—, management of poisoning, 416, 587
Amitriptyline, treatment of poisoning with activated charcoal, a pilot clinical trial, 205
Amphetamine, determination by gas-liquid chromatography, 391
Amylobarbitone, effect of alcohol on fatal blood levels, 5
Anticonvulsant drugs, survey of overdoses, 357
Antidiabetic drugs, overdoses in non-diabetic and diabetic patients, 345
Antiepileptic drugs, induction of hypercupraemia, 519
—, therapeutic, toxic and fatal concentration ranges as an aid to interpretation of analytical data, 135
Antimuscarinic drugs, protective effect of concomitant ingestion with paracetamol overdose, 473
Anti-nauseants, maternal, teratogenicity, 63
Arachidonic acid transformation products, associated with acute inflammation of human skin, 549
Arsenic, chelation therapy for poisoning, 257
—, chronic poisoning in rural populations in the north of Mexico, 121
Arterial blood pressure, determination in cases of acute colchicine poisoning, 169
Aspirin, evaluation of adsorptive capacities of two preparations of activated charcoal *in vitro* and *in vivo*, 211
Atropine, inhibition of metabolism by organophosphate pesticides, 637
Autoradiography, investigation of patterns of uptake and redistribution of americium-241 by rat skeleton, 101

B

BAL *see* **2,3-Dimercaptopropanol**
Barbiturates, clinical outcome in cases of acute severe poisoning in Spain, 625
—, interaction with alcohol in cases of accidental or intentional self-poisoning, 5
—, poisoning in elderly patients, 371
Bendectin, involvement in clefts of lip and palate, 63
Bendiocarb, skin penetration and toxic threshold in animals and people, 552
Benzodiazepines, poisoning in elderly patients, 371

Benzodioxoles, cytotoxicity to isolated rat hepatocytes, 566
Benzoyl peroxide, interference with metabolic co-operation between cultured human epidermal keratinocytes, 559
Bezafibrate, evaluation for induction of peroxisomal enzymes and peroxisome proliferation in rat liver, 27
Bisacodyl, screening method for cases of laxative abuse, 385
Bisoxatin, screening method for cases of laxative abuse, 385
Bithionol, photoallergenic potential, 554
Blood, lead concentrations, 545
—, therapeutic, toxic and fatal concentrations of drugs in man, 437
Bottled gas, source of exposure to carbon monoxide reported to NPIS (London), 335
Bradycardia, amitraz-induced, 587
Bronchopulmonary infection, study of side-effects of treatment with intravenous erythromycin lactobionate, 593
Butalbitone, clinical outcome in cases of acute poisoning in Spain, 625
Butobarbitone, effect of alcohol on fatal blood concentrations, 5

C

Cadmium, adsorption by activated charcoals, 410
—, chelation therapy for poisoning, 257
Cadmium-thionein, uptake into renal cortex, 567
Caeruloplasmin synthesis, induction by phenytoin or carbamazepine, 519
Cairo Poison Control Centre, analysis of enquiries, 327
Calcium gluconate, arterial perfusion for hydrofluoric acid burns, 233
Calorie intake, effect on fate of hyperplastic liver nodules induced by lasiocarpine and thioacetamide, 15
Calpol *see* **Paracetamol**
Cancer therapy, hair regrowth, 465
Cannabinoids, acute intoxication in children after ingestion of cigarettes, 315
—, apparent half-life excretion, 641
Carbamazepine, effect on serum copper levels, 519
—, pharmacokinetic aspects in plasma during overdosage, 607
—, survey of overdoses, 357
—, therapeutic, toxic and fatal concentration ranges, 135
Carbamazepine metabolites, toxicity, 607
Carbon monoxide, effect of ethanol on toxicity in fatal human poisonings, 155
—, 5 years' experience of poisoning at Guy's Hospital Poisons Unit, 335
Carcinogenesis, skin, 551
Carcinogens, nuclear enlargement test, 560
Cardiac dysfunction, induced by β-adrenoceptor blocker overdose, treatment by prenalterol, 175
Cardiac index, determination in cases of acute colchicine poisoning, 169
Central nervous system depression, amitraz-induced, 587
Central nervous system suppression, cause of life threatening abnormalities in propranolol overdose, 511
Cerebral function monitor, in toxic coma, 412
Charcoal, activated, assessment in management of tricyclic antidepressant poisoning, 205
—, activated, evaluation of adsorptive capacities *in vitro* and *in vivo* using aspirin as test compound, 211
—, activated, use in treatment of nicotine or cannabinoid poisoning in children, 315
Chelating agents, treatment for metal poisonings, 257
Chemical hazards – emergency planning, 413
Chemicals, immunological reactions of skin, 550
—, model for assessing corrosive potential to skin, 562
—, penetration of skin, 548
Child abuse, recognition of non-accidental poisoning, 317
Child-resistant containers, prevention of childhood poisoning, 283
Childhood poisoning, 283
—, documentation, 295
—, ethylene chlorohydrin ingested as film cement, 311
—, frequency in different social groups, 305
—, non-accidental, with paracetamol, 317
—, with vetatrum-containing sneezing powders, 321
Chlormethiazole, acute poisoning, 361
1-Chloro-2,4-dinitrobenzene, diurnal variation in response of rat skin, 558
Chloroacetaldehyde, toxic metabolite of cyclophosphamide, 565
Chloroacetophenone, use in riots and warfare, 247

Chlorobenzylidene malonitrile, use in warfare and riots, 247
Chloroquine poisoning, haemoperfusion, 408
Chlorpromazine, photoallergenic potential, 554
Chlorpropamide, antithyroid effect in diabetic patients receiving chronic treatment, 149
Cigarettes, ingestion by children, acute nicotine and cannabinoid intoxication, 315
Cinecol, acute ethylene chlorohydrin poisoning in children, 311
Ciprofibrate, evaluation for induction of peroxisomal enzymes and peroxisome proliferation in rat liver, 27
Clefts, lip and palate, effect of maternal antinauseants, 63
Clonazepam, therapeutic, toxic and fatal concentration ranges, 135
Coal-fired central heating boilers, source of exposure to carbon monoxide reported to NPIS (London), 335
Codeine, protective effect of concomitant ingestion with paracetamol overdose, 473
Coke fires, source of exposure to carbon monoxide reported to NPIS (London), 335
Colchicine, haemodynamic studies in cases of acute poisoning in humans, 169
Coma, cerebral function monitor, 412
—, classification and monitoring, 410
—, depth and duration in drug-induced disease in elderly patients, 371
—, ethanol-induced, effects of naloxone, 217, 221, 227
—, in acute chlormethiazole poisoning, 361
—, pupillary and ocular reflexes, 411
Computers, collation, storage and dissemination of information in Registry of Human Toxicology, 497
—, use at poison control centres, 273
Consciousness, initial levels in patients suffering acute overdose, 625
Copper, adsorption by activated charcoals, 410
—, chelation therapy for poisoning, 257
—, effect of pH on absorption by activated charcoal, 410
—, serum levels in patients treated with antiepileptic drugs, 519
Corrosive potential, *in vitro* method of assessment for chemicals on skin, 562
Corrosive products, factors determining irreversible oesophageal damage, 339
Cranial radiotherapy, hair regrowth, 465
Critical flicker frequency, evaluation of neurotoxic effects of lead and solvents in humans, 83
Cyclophosphamide, differences in activity of two commercially available preparations, 557
—, toxicity, 565
Cytotoxic chemotherapy, hair regrowth, 465

D

Danish Poison Information Centre, enquiries, 281
Danthron, screening method for laxative abuse, 385
Dapsone, clinical features and pharmacokinetic studies of acute poisoning, 507
Data collection, Cairo Poison Control Centre, 327
—, childhood poisoning in Luebeck Medical School Paediatric Hospital, 295
Data standardisation, Danish Poison Information Centre, 281
Deaths, in cases of acute chlormethiazole poisoning, 361
Debendox, involvement in clefts of lip and palate, 63
Denture cleaner, determination of corrosiveness on oesophageal wall, 339
Dermatitis, treatment and prevention at work, 550
Desferrioxamine, use in treatment of iron overloading, 257
DG 5685, evaluation for induction of peroxisomal enzymes and peroxisome proliferation in rat liver, 27
Diabetes, relationship between plasma chlorpropamide concentration and thyroid function, 149
Diabetic patients, self-poisoning with oral hypoglycaemic and non-diabetic drugs, 345
Dialysis, increased elimination of mercury after ingestion of mercuric chloride, 243
Dibenzoxazepine, toxicity of repeated skin application, 415
—, use in warfare and riots, 247
Dieldrin, pollution of human food chain, 75
2,3-Dimercaptopropanol, treatment for metal poisonings, 257
—, treatment for severe acute poisoning from ingestion of mercuric chloride, 243
2,3-Dimercaptopropane-1-sulphonate, use in treatment of mercury and arsenic poisonings, 257

2,3-Dimercaptosuccinic acid, use in treatment of mercury and arsenic poisonings, 257
2,2-Dimethyl-1,3-benzodioxol-4-yl methyl carbamate *see* **Bendiocarb**
Diphenhydramine, induction of rhabdomyolysis presenting with myoglobinuric renal failure, 197
Diphenylamine, subacute toxicity, 565
Diurnal variation, in responses of rat skin to tri-*n*-butyltin and 1-chlorodinòtrobenzene, 558
Dothiepin, treatment of poisoning with activated charcoal, a pilot clinical trial, 205
Doxepin, treatment of poisoning with activated charcoal, a pilot clinical trial, 205
Drug-induced disease, diagnosis in the elderly, 371
Drug rechallenge, assessment of possible drug reactions, 573
Drugs, therapeutic, toxic and fatal concentrations in man, 437

E

EDTA *see* **Ethylenediamine tetraacetate**
Education, role in prevention of childhood poisoning, 283
Egypt, analysis of enquiries made to Cairo Poison Control Centre, 327
Elderly patients, detection of drug-induced disease, 371
Emergency analyses, use for infra-red spectrophotometry, 395
Emergency measures, taken in patients to Cairo Poison Control Centre, 327
Epidermal membranes, absorption of phthalate esters in humans and rats *in vitro*, 561
Epilepsy, hypercupraemia induced by antiepileptic drugs, 519
—, incidence in patients overdosing with anticonvulsants, 357
—, therapeutic, toxic and fatal concentration ranges for drugs used in treatment, 135
Erythromycin lactobionate, study of serum levels, venous irritation and gastrointestinal side-effects in patients with bronchopulmonary infection, 593
Esterases, rat skin, 563
Ethanol, effect in cases of acute chlormethiazole poisoning, 361
—, effect in fatal human carbon monoxide poisonings, 155
—, induction of coma, effect of naloxone, 217, 221, 227
Ethics, drug rechallenge studies, 573
Ethosuximide, therapeutic, toxic and fatal concentration ranges, 135
Ethylene chlorohydrin, acute poisoning in children ingesting film cement, 311
Ethylenediamine tetraacetate, use in treatment of metal poisonings, 257
Exhaust fumes, source of exposure to carbon monoxide in cases of accidental poisoning reported to NPIS (London), 335
Exposure concentration, relationship with duration of exposure and inhalation LC50 values, 564

F

Fatal drug concentrations, in man, 437
Fatty degenerative changes, in renal medulla in renal papillary necrosis, 556
Fenofibrate, evaluation for induction of peroxisomal enzymes and peroxisome proliferation in rat liver, 27
Fentanyl, reversal of narcotic effects by naloxone in dogs, 221
Fibronectin, influence of haemoperfusion on human plasma concentrations, 409
Film cement, acute ethylene chlorohydrin in children, 311
Flicker fusion test, evaluation of neurotoxic effects of lead and solvents in humans, 83
Food chain, human, pollution by dieldrin, 75
Forced alkaline diuresis, treatment for salycilate intoxication, 407
Formalin vapour, use in routine toxicity tests in lungs, 553
Formamidine pesticides, animal studies on treatment for poisoning, 415, 579
—, management of poisoning, 416, 587
Formate, accumulation in humans, 408

G

Gas-fired appliances, source of exposure to carbon monoxide reported to NPIS (London), 335
Gas-liquid chromatography, determination of amphetamine and methylamphetamine, 391
Gastric emptying, inhibition by antimuscarinic drugs taken concomitantly with paracetamol overdose, 473
Gastric lavage, treatment for amitraz poisoning, 416, 587

—, treatment for nicotine or cannabinoid poisoning in children, 315
Gastrointestinal side-effects, after intravenous erythromycin lactobionate in patients with bronchopulmonary infection, 593
Gemfibrozil, evaluation for induction of peroxisomal enzymes and peroxisone proliferation in rat liver, 27
Glasgow Duplicate Diet Study, 545
Gold poisoning, chelation therapy, 257

H

Haemodynamic modification, induction in cases of acute colchicine poisoning, 169
Haemoperfusion, chloroquine poisoning, 408
—, influence on human plasma fibronectin concentrations, 409
Hair, regrowth after cancer therapy, 465
Hair dye, acute tubular necrosis following ingestion of paraphenylenediamine, 633
—, factors affecting absorption by rat skin, 552
Halucinogenic mushrooms, review of enquiries regarding ingestion made to NPIS (London), 349
Hardening, effect on blood levels of lead in residents of soft plumbo-solvent water areas, 645
Hepatic microsomal enzymes, inhibition by organophosphate pesticides, 637
Hepatocellular carcinoma, effect of calorie intake on progression from hyperplastic liver nodules, 15
Hepatocyte cultures, peroxisomal effects of phthalate esters, 559
Hepatocytes, rat, cytotoxicity of benzodioxoles, 566
Hepatotoxicity, mechanism for induction by paracetamol, 399
Heroin, clinical outcome in cases of acute severe poisoning in Spain, 625
—, induction of leucoencephalopathies in The Netherlands, 414
High performance liquid chromatography, measurement of atropine in urine of organophosphate poisoned patients, 637
Holland, enquiries relating to corrosive products made to NPIC (Utrecht), 339
—, heroin-induced leucoencephalopathies, 414
Household products, corrosiveness, 339
Hydrofluoric acid, treatment for burns with arterial perfusion of calcium gluconate, 233
Hypercupraemia, induction by antiepileptic drugs, 519
Hyperglycaemia, amitraz-induced, 587
Hyperpigmentation, induction by chronic arsenic poisoning in rural populations of north Mexico, 121
Hyperplastic liver nodules, effect of calorie intake on progression to hepatocellular carcinoma, 15
Hypnotic agents, overdosages in diabetic patients, 345
Hypoglycaemic drugs, overdosage in diabetic and non-diabetic patients, 345
Hypolipidemic agents, evaluation for the induction of peroxisomal enzymes and peroxisome proliferation in rat liver, 27
Hypopigmentation, induction by chronic arsenic poisoning in rural populations of north Mexico, 121
Hypotension, amitraz-induced, 587
—, in acute chlormethiazole poisoning, 361
Hypothermia, amitraz-induced, 587
—, induction by MITAC 20 EC poisoning in animals, 579
Hypovolaemia, presence in acute colchicine poisoning, 169

I

Ibuprofen, acute poisoning, 381
Imipramine, treatment of poisoning with activated charcoal, a pilot clinical trial, 205
Immunological reactions, of skin to chemicals, 550
—, role of Langerhans cells in rat skin, 564
Industrial dermatitis, treatment and prevention, 550
Information retrieval, use of computers at poison control centres, 273
Infra-red spectrophotometry, use in analytical toxicology, 395
Inhalation toxicology, 564
Injury, pharmacological response of skin, 549
Insecticides, skin penetration and toxic thresholds in animals and humans, 552
Intensive care units, Portugal, 411
Intoxication, mode and type of poison involved in patients reported to Cairo Poison Control Centre, 327
Iron poisoning, chelation therapy, 257
Isosafrole, cytotoxicity to isolated rat hepatocytes, 566

K

Keratinocytes, human, interference by benzoyl peroxide in metabolic co-operation, 559
Kidney, myoglobinuric renal failure following drug-induced rhabdomyolysis, 197

L

Langerhans cells, role in skin immuno. ogy in rat, 564
Lasiocarpine, with thioacetamide, induction of hyperplastic liver nodules, 15
Laxative abuse, experience with a screening method, 385
Lead, adsorption by activated charcoals, 410
—, blood concentrations, 545
—, chelation therapy for poisoning, 257
—, effect of hardening plumbo-solvent soft water on blood levels of residents, 645
—, effect of pH on adsorption by activated charcoal, 410
—, evaluation of neurotoxic effects by flicker fusion tests in humans, 83
—, psychological and physical complaints of subjects with low exposure, 615
Leucoencephalopathy, heroin-induced, 414
Lithium intoxication, 412
Liver, rat, evaluation of selected hypolipidemic agents for the induction of peroxisomal enzymes and peroxisome proliferation, 27
Liver damage, relationship between severity and delay between ingestion of mushroom and onset of silibinin therapy, 183
LS 2265, evaluation for induction of peroxisomal enzymes and peroxisome proliferation in rat liver, 27
Luebeck prospective poisoning study, 295
Lung oedema, microscopic detection, 553

M

Medical management, of effects of exposure to riot agents, 247
Medicoal, evaluation of capacity as adsorbent of aspirin *in vitro* and *in vivo*, 211
Membrane stabilizing effect, importance in propranolol overdose, 511
Mercuric chloride, cause of acute renal failure, 535
—, severe acute poisoning from ingestion of permanent wave solution, 243
Mercury, chelation therapy in poisoning, 257
—, plasma levels during prolonged acute renal failure after mercuric chloride ingestion, 535
Metabolic co-operation, interference by benzoyl peroxide in metabolic co-operation, 559
Methanol poisoning, 408
Methionine, therapy for paracetamol-induced hepatotoxicity, 399
Methyl clofenapate, evaluation for induction of peroxisomal enzymes and peroxisome proliferation in rat liver, 27
Methylamphetamine, determination by gas-liquid chromatography, 391
6-Methylcoumarin, photoallergenic potential, 554
Methylphenobarbitone, therapeutic, toxic and fatal concentration ranges, 135
Metoprenolol, overdose-induced cardiac dysfunction, treatment by prenalterol, 175
Mexico, contamination of water supply with arsenic, chronic poisoning, 121
Mianserin, treatment of poisoning with activated charcoal, a pilot clinical trial, 205
MITAC 20 EC, animal studies on treatment for poisoning, 415, 579
—, management of poisoning, 416, 587
Monoacetyl-dapsone, plasma concentrations in acute dapsone poisoning, 507
Monoamine oxidase inhibition, amitraz-induced, 587
Myoglobinuric renal failure, following drug-induced rhabdomyolysis, 197

N

NADPH-diaphorase, estimation of enzymatic alteration in toxic rape seed oil syndrome, 414
Naloxone, effect of ethanol-induced coma, 217, 221
—, role in clinical toxicology, 227
National Poison Control Centre (Utrecht), enquiries relating to corrosiveness of products, 339
Neurological symptomatology, low levels of lead exposure, 615
Nicotine alkaloids, acute intoxication in children after ingestion of cigarettes, 315
2-Nitro-*p*-phenylene-diamine, factors affecting skin absorbtion in the rat, 552

Non-opioid poisoning, role of naloxone in man, 227
d-Nor-pseudoephedrine, induction of rhabdomyolysis presenting with acute myoglybinuric renal failure, 197
Norit-A, evaluation of capacity as an adsorbent of aspirin *in vitro* and *in vivo*, 211
Nortriptyline, treatment of poisoning with activated charcoal, a pilot clinical trial, 205
Nuclear enlargement test, carcinogens, 560

O

Occupational toxicology, flicker fusion test used to evaluate effects of exposure to lead or solvents, 83
Ocular reflexes, in toxic coma, 411
Oesophagus, development of irreversible damage after ingestion of corrosive products, 339
Opioid poisoning, role of naloxone in man, 227
Organic solvents, formulation of pesticides, 587
Organophosphate pesticides, inhibition of atropine metabolism, 637
Osteogenic sarcoma, production of a model using radioactive phosphrus, 49
Overdosage, effect on pharmacokinetic aspects of carbamazepine and its two major metabolites, 607
Oxyphenisatin, screening method for laxative abuse, 385

P

Palmoplantar keratosis, induction by chronic arsenic poisoning in rural populations of north Mexico, 121
Pancuronium bromide, management of tranylcypromine overdose, 413
Papular keratosis, induction by chronic arsenic poisoning in rural populations of north Mexico, 121
Paracetamol, clinical outcome in cases of acute severe poisoning in Spain, 625
—, mechanism for induction of hepatotoxicity, 399
—, non-accidental poisoning in children, 317
Paracetamol overdose, protective effect of concomitantly ingested antimuscarinic drugs and codeine, 473
Paraffin stoves, source of exposure to carbon monoxide in case of poisoning reported to NPIS (London), 335
Paraphenylenediamine, induction of acute tubular necrosis following hair dye ingestion, 633
Paraquat poisoning, mortality rat, course and therapy, 417
—, percutaneous absorption, 418
—, repeated lung volume determination during the treatment, 418
—, serial lung function tests, 418
—, United Kingdom, 417
—, vasodilation and rehydration, 531
D-pencillamine, use in treatment of metal poisonings, 257
Penicillin, plus general supportive treatment as therapy for *Amanita phalloides* poisoning, 183
Pentobarbitone, effect of alcohol on fatal blood concentrations, 5
Percutaneous absorption studies, 561
Peroxisomal enzymes, induction by hypolipidemic agents in rat liver, 27
Peroxisomal proliferation, effect of phthalate esters in rat hepatocyte cultures, 559
—, induction by hypolipidemic agents in rat liver, 27
—, measurement of potential dermal exposure, 555
pH, effect on absorption of cadmium, copper, lead and zinc by activated charcoals, 410
Phenazopyridine, nephrotoxicity, 539
Phenobarbitone, effect of alcohol on fatal blood concentrations, 5
—, therapeutic, toxic and fatal concentration ranges, 135
Phenolphthalein, screening method in cases of laxative abuse, 385
Phenothiazines, clinical outcome in cases of severe poisoning in Spain, 625
***N*-phenylanthranilic acid,** subacute toxicity, 565
Phenytoin, effect on serum copper levels, 519
—, survey of overdoses, 357
Phosphorus, radioactive, transplacental carcinogenesis, 49
Photoallergenic potential, determination in guinea pig, 554
Phthalate esters, percutaneous absorption in humans and rats *in vitro*, 561
—, peroxisomal effects in rat hepatocyte cultures, 559
Physical symptomatology, low levels of lead exposure, 615
Plasma, levels of mercury during prolonged acute renal failure after mercuric chloride ingestion, 535

—, levels of propranolol in an overdose, 511
—, pharmacokinetic aspects of carbamazepine and its metabolites during overdosage, 607
Plumbo-solvent water, effect of hardening on blood lead levels of residents, 645
Plutonium-239, comparison with skeletal redistribution patterns of americium-241 in rats, 101
—, distribution in soft tissues and skeleton of old rats after intravenous administration, 91
Pneumonitis, paraquat-induced, 531
Poison control centres, Portugal, 411
—, use of computers for information retrieval, 273
Poultry, poisoning by dieldrin, pollution of human food chain, 75
Prenalterol, treatment of cardiac dysfunction induced by β-adrenoceptor blocker overdose, 175
Primidone, therapeutic, toxic and fatal concentration ranges, 135
Propranolol, importance of membrane stabilizing effect in overdose, 511
—, overdose-induced cardiac dysfunction, treatment by prenalterol, 175
Prostaglandin synthesis, inhibition by amitraz, 587
Psilocybe mushrooms, review of enquiries regarding ingestion made to NPIS (London), 349
Psychological symptomatology, low levels of lead exposure, 615
Psychotropic drugs, overdosage in diabetic patients, 345
Pulmonary capillary wedge pressure, determination in case of acute colchicine poisoning, 169
Pulmonary fibrosis, paraquat-induced, 531
Pulmonary vascular resistance, determination in cases of acute colchicine poisoning, 169
Pupillary reflexes, in toxic coma, 411

Q

Quinalbarbitone, effect of alcohol on fatal blood concentrations, 5
Quinine, acute intoxication, 412
Quinine ocular toxicity, stellate ganglion block, 412

R

Radiation dosimetry, model using studies of radium-226 distribution in rat skeleton, 479
Radiochemical techniques, investigation of patterns of uptake and redistribution of americium-241 by rat skeleton, 101
Radium-226, autoradiographic studies of distribution in rat bone, 479
Rape seed oil, toxic syndrome, 414
—, toxic anilides, 415
Registry of Human Toxicology, 497
Rehydration, paraquat poisoning, 531
Renal cortex, subcellular distribution of cadmium, 567
Renal failure, due to poisoning with mercuric chloride, 535
—, following ingestion of paraphenylenediamine in hair dye, 633
—, phenazopyridine-induced, 539
Renal papillary necrosis, fatty degenerative changes of renal medulla, 556
Respiratory complications, patients suffering acute overdose, 625
Respiratory depression, in acute chlormethiazole poisoning, 361
Respiratory failure, paraquat-induced, 531
Rexette, acute ethylene chlorohydrin poisoning in children, 311
Rhabdomyolysis, drug-induced, production of acute myoglobinuric renal failure, 197
Rhein, screening method for cases of laxative abuse, 385
Ricin, acute voluntary intoxication, 239
Riot control, use of chemical agents, 247
RMI-14,514, evaluation for induction of peroxisomal enzymes and peroxisome proliferation in rat liver, 27

S

Safrole, cytotoxicity to isolated rat hepatocytes, 566
Salicylates, clinical outcome in cases of acute severe poisoning in Spain, 625
—, treatment for intoxication, 407
Screening, method for use with laxative abuse, 385
Sedative-hypnotic drugs, clinical outcome in cases of acute severe poisoning in Spain, 625
Self-poisoning, clinical outcome related to drugs implicated, 625

Serum, levels of erythromycin in patients with bronchopulmonary infection, 593
Sex, effect on early distribution of radioactive plutonium, americium and uranium in soft tissues and skeleton of old rats, 91
Shock, advances in assessment and treatment of shock, 407
Silibinin, evaluation of effectiveness as a treatment for *Amanita phalloides* poisoning, 183
Skeleton, old rat, distribution of intravenously applied radioactive plutonium, americium and uranium, 91
—, rat, autoradiographic studies of distribution of radium-226, 479
—, rat, distribution and retention of americum-241, implications for human dosimetry and toxicology, 101
Skin, absorption of hair dye, 552
—, immunological reaction to chemicals, 550
—, *in vitro* method of assessing corrosive potential of chemicals to skin, 562
—, measurement of potential exposure to pesticides, 555
—, penetration and toxic threshold to bendiocarb, 552
—, penetration of chemicals, 548
—, permeability studies *in vitro*, 561
—, permeability study using an abnormal stratum corneum model, 554
—, pharmacological responses to injury, 549
—, rat, diurnal variation in response to tri-*n*-butyltin and 1-chloro-2,4-dinitrobenzene, 558
—, rat, esterases, 563
—, rat, role of Langerhans cells in immunology, 564
—, treatment and prevention of industrial dermatitis, 550
Skin carcinogenesis, cellular and biochemical mechanisms, 551
Skin carcinogenicity, nuclear enlargement test in mouse, 560
Sneezing powders, accidental poisoning of children, 321
Social groups, effect on frequency of childhood poisoning, 305
Sodium bicarbonate, treatment of salycilate intoxication, 407
Sodium valproate, survey overdoses, 357
Soft tissues, old rat, distribution of intravenously applied radioactive plutonium, americum and uranium, 91
Solvents, evaluations of neurotoxic effects by flicker fusion test in humans, 83
Spontaneous activity, effect of MITAC 20 EC poisoning in animals, 579
Stellate ganglion block, for quinine ocular toxicity, 412
Steradent, determination of corrosiveness on oesophageal wall, 339
Stratum corneum, model for studying absorption through skin, 554
Systemic vascular resistance, determination in cases of acute colchicine poisoning, 169
Sulthiame, therapeutic, toxic and fatal concentration ranges, 135

T

Tannic acid, use in treatment of nicotine or cannabinoid poisoning in children, 315
Tetrachlorosalicylanilide, photoallergenic potential, 554
Thallium poisoning, 416
Therapeutic drug concentrations, in man, 437
Thioacetamide, with lasiocarpine. Induction of hyperplastic liver nodules, 15
Thyroid function, possible effect of chlorpropamide treatment in diabetics, 149
Thyroxine, serum levels in relation to plasma chlorpropamide concentrations in diabetics, 149
Tiadenol, evaluation for induction of peroxisomal enzymes and peroxisome proliferation in rat liver, 27
Time delay, in patients reported to Cairo Poison Control Centre, 327
Timing, variations in patients reported to the Cairo Poison Control Centre, 327
Tiopronin, plus dimercaprol, treatment for severe acute poisoning from ingestion of mercuric chloride, 243
Tobacco, with or without cannabinoids, acute intoxication after ingestion by children, 315
Toxic chemicals, contingency planning for accidents and emergencies, 413
Toxic drug concentrations, in man, 437
Toxicity, of chelating agents for use in treatment of metal poisonings, 257
Toxicology databank, 497
Transepidermal water loss, through rat skin, 554
Transplacental carcinogenesis, radioactive phosphorus in rat, 49
Tranylcypromine overdose, use of pancuronium bromide, 413
Trazodone, overdosage, 353

Tri-*n*-butyltin, diurnal variation in response of rat skin, 558
Tribromosalicylanilide, photoallergenic potential, 554
Tricyclic antidepressants, assessment of activated charcoal in management of poisoning, 205
—, clinical outcome in cases of acute severe poisoning in Spain, 625
Trimipramine, treatment of poisoning with activated charcoal, a pilot clinical trial, 205
Tubular necrosis, induction following ingestion of paraphenylenediamine in hair dye, 633

U

Ulcerative zones, induction by chornic arsenic poisoning in rural populations of north Mexico, 121
Uranium-233, distribution in soft tissues and skeleton of old rats after intravenous administration, 91

V

Valproic acid, therapeutic, toxic and fatal concentration ranges, 135
Vasodilation, paraquat poisoning, 531
Venous irritation, after intravenous erythromycin lactobionate in patients with bronchopulmonary infection, 593
Veratrum alkaloids, identification in sneezing powders in cases of accidental childhood poisoning, 321
Vinyl acetate, inhalation toxicity study, 416

W

Warfare, development of use of chemical agents, 247
Water supply, contamination with arsenic in north of Mexico, 121
—, effect of hardening on blood lead levels of residents in soft plumbo-solvent supply areas, 645

X

Xylene, animal studies on treatment for poisoning, 415, 579
—, management of poisoning, 587, 416

Z

Zinc, adsorption by activated charcoals, 410
—, effect of pH on adsorption by activated charcoal, 410
—, serum levels in patients with antiepileptic drugs, 519
Zinc protoporphyrin, levels in relation to lowering of critical flicker frequency threshold in lead exposed humans, 83